



## COLORADO FLOWER GROWERS ASSOCIATION

Bulletin 322

Edited by David E. Hartley

April 1977

### REPORTED PHYTOTOXICITY OF ACARICIDES AND INSECTICIDES TO ORNAMENTALS\*

Injury to plant material after pesticide applications may manifest itself in a variety of ways. The most common are: total burn, marginal burn or spotting of foliar and/or flower parts; cupping, curling and chlorosis of foliage; and distortion of foliar and flower buds. Soil applications of insecticides may also produce these symptoms, as well as stunting of growth because of injury to the root system of the plant. Severe root injury will cause sudden wilting and death of the aerial parts of the plant. As a rule, flowers and flower buds in advanced stages of development are highly susceptible to pesticide injury. Aerosol applications are usually less phytotoxic to blossoms and breaking flower buds. Smoke formulations are usually safer than mists and fogs, provided label instructions are followed carefully.

The incidence of spray damage to plants may be minimized by applying the pesticide (at the rate indicated on the label) during the cooler hours of the day and to dry plants in a well-ventilated greenhouse. Wettable, suspensible and flowable powders are generally less phytotoxic to plants than emulsifiable concentrates, although the former may leave an unsightly residue.

To avoid the kinds of damage described above it is important to consult the pesticide labels, which in many instances indicate specifically those plants which are

sensitive to the pesticide and those for which it is specifically recommended.

It should be understood that none of the chemicals presently marketed has been evaluated for phytotoxicity on all available ornamentals. Moreover, variations in growing conditions may produce different phytotoxicity results for the same chemical. It is therefore strongly recommended that a new pesticide or a well-known one selected for application to new plant material should always be evaluated on a trial basis on a small number of plants representing the material to be protected. The toxic effects of spray applications to foliage and to flower parts should become evident within 5 to 10 days.

It is advisable to avoid closely spaced pesticide applications of one or more pesticides because residue build-up and/or chemical incompatibility may result in plant injury.

Unregistered tank mixtures of two or more pesticides may cause damage to target plants which does not occur when the chemicals are used individually.

It is suggested that applicators of pesticides become acquainted with whatever is known on the phytotoxicity of pesticides. The authors have attempted to be helpful in this manner by providing the information which follows and which was derived from an extensive literature search related to reported injury to ornamentals from acaricides and insecticides. Unless otherwise indicated, the plant injury resulted from spray or mist applications to the foliage.

The grower should verify whether the chemicals listed below have received Federal or State clearance for use under greenhouse conditions.

\* From: Florogram, Volume ix, Number 3, May-June 1976, Cooperative Extension Service Suburban Experiment Station, Waltham, Mass.

Prepared by S. M. Richman and A. G. Gentile

**ACARABEN\*** (chlorobenzilate)

*Chrysanthemum* (injurious to blossoms of var. "Nob Hill")  
*Gloxinia*  
*Hydrangea spp.*  
*Kalanchoe spp.*  
*Poinsettia* (injurious to the bracts of var. "Paul Mikkel-sen" and "Mikkelwhite")  
*Prunus spp.*  
Rose  
Do not use with sulfur

**ANTHIO\*** (formothion)

*Achimenes longiflora*  
*Adiantum sp.* (Maidenhair fern)  
*Aeschyanthus lobbianus*  
*Anthurium scherzerianum*  
*Aralia spp.*  
*Begonia spp.*  
*Chrysanthemum*  
*Cineraria spp.*  
*Coleus spp.*  
*Ficus spp.*  
*Gerbera jamesonii*  
*Gloxinia*  
*Zinnia spp.*

**BAYTEX\*** (fenthion)  
Rose (var. "Delightful")

**CYGON\*** (dimethoate)

*Acacia notabilis*  
*Anthurium spp.*  
*Anthurium scherzerianum*  
*Aphelandra spp.*  
*Aphelandra squarrosa*  
*Aralia spp.*  
Azalea (var. "Carmen", "Stewartstonian" and "Palustrina")  
*Begonia spp.*  
*Begonia maculata*  
*Brassaia actinophylla* (Schefflera)  
*Broughtonia spp.*  
*Calanthe spp.*  
*Calceolaria spp.*  
Carnation  
*Chamaedorea elegans* (Neanthe Bella Palm)  
Chinese holly  
*Chrysanthemum indicum*  
*Cineraria spp.*  
*Cissus spp.*  
*Cissus antartica* (Kangaroo Vine)  
*Coleus spp.*  
*Cyclamen spp.*  
*Cynoches dentricosum*  
*Dendrobium moschatum*  
*Dendrobium pulchellum*  
*Dendrobium phalaenopsis*  
*Dieffenbachia spp.*  
*Euphorbia spp.*  
Fatshedera Ivy  
*Fatsia japonica*  
Ferns (no specific identification)  
*Ficus spp.*

**Ficus nitida**

*Freesia spp.*  
*Fuchsia spp.*  
*Geranium*  
*Gerbera jamesonii*  
*Gloxinia*  
*Hibiscus spp.*  
*Hydrangea spp.*  
*Iris spp.*  
*Jacobinia spp.*  
*Lilium longiflorum*  
*Maranta sp.* (Prayer Plant)  
*Neomoorea irrorata*  
*Nephrolepis exaltata* (Florida Ruffle Fern)  
*Pandurata spp.*  
*Peperomia obtusifolia*  
*Philodendron spp.*  
*Pilea cadierei*  
*Podocarpus macrophylla*  
Poinsettia (injurious to bracts of var. "Paul Mikkel-sen" and "Mikkelwhite")  
*Polyanthes*  
*Primula spp.*  
*Prunus spp.* (ornamental)  
Rochea  
Rose  
*Saintpaulia ionantha*  
*Streptocarpus spp.*  
*Zantedeschia spp.*  
*Zinnia spp.*

**DIAZINON\***

*Adiantum cuneatum* (Maidenhair fern)  
*Anthurium spp.*  
*Anthurium scherzerianum*  
*Asparagus plumosus*  
*Asparagus sprengeri*  
Asters  
*Begonia spp.*  
*Brunfelsia spp.*  
Cacti (no specific identification)  
*Cissus spp.*  
*Cissus antartica* (Kangaroo Vine)  
Crepe Myrtle  
*Cyclamen spp.*  
*Cytisus spp.*  
*Dianthus spp.*  
*Dracaena sanderiana*  
*Euphorbia pulcherrima*  
*Euphorbia splendens*  
Ferns (no specific identification)  
*Gardenia jasminoides*  
*Gloxinia*  
*Hedera spp.*  
*Hibiscus spp.*  
*Hoya sp.* (Hindu Rope)  
*Hoya carnosa*  
*Lilium longiflorum*  
Papaya  
*Peperomia spp.*  
*Peperomia obtusifolia*  
Pigmy Date Palm (injurious to roots as a drench)  
*Pilea spp.*  
Rose  
*Saintpaulia spp.*

\* Trade Name

<i>Scindapsus spp.</i>	<i>Hibiscus sp. cv. "laterita"</i>
<i>Stephanotis spp.</i>	<i>Kalanchoe sp. cv. "Korall"</i>
Violet	<i>Peperomia spp.</i>
DIBROM* (naled)	<i>Poinsettia</i>
<i>Chrysanthemum</i> (var. "Pink Champagne")	<i>Rhoicissus rhomboidea</i>
<i>Poinsettia</i>	Rose
<i>Rose</i> (var. "White Butterfly" and "Golden Rapture")	<i>Saintpaulia spp.</i>
DIMECRON* (phosphamidon)	<i>Schlumbergera gaertneri</i>
<i>Ageratum spp.</i>	<i>Scindapsus sp. (Pothos)</i>
<i>Begonia spp.</i>	Seedlings (no specific identification)
<i>Chrysanthemum</i>	<i>Sinningia spp.</i>
<i>Cineraria spp.</i>	<i>Stephanotis spp.</i>
<i>Coleus spp.</i>	<i>Streptocarpus</i> (injured by aerosols)
Ferns (no specific identification)	Sweet Pea
<i>Lilium longiflorum</i>	
<i>Primula spp.</i>	LANNATE* or NUDRIN* (methomyl)
<i>Rochea coccinea</i>	<i>Brassaia actinophylla</i> (Schefflera)
DYLOX* (trichlorfon)	Chrysanthemum
<i>Ardisia spp.</i>	<i>Dracaena godseffiana</i> (Gold Dust Plant)
<i>Brassaia actinophylla</i> (Schefflera)	<i>Peperomia obtusifolia</i>
Carnation	<i>Pilea cadierei</i>
<i>Chrysanthemum</i>	Rose (var. "Bridal Pink")
<i>Dracaena godseffiana</i> (Gold Dust Plant)	<i>Syngonium podophyllum</i> (var. "Emerald Gem")
<i>Nephrolepis exaltata</i> (Florida Ruffle Fern)	(Nephthytis)
<i>Saintpaulia ionantha</i> (African Violet)	
<i>Syngonium podophyllum</i> (var. "Emerald Gem" and "Green Gold") (Nephthytis)	LINDANE*
FUNDAL* or GALECRON* (chlordimeform)	<i>Acalypha hispida</i>
Aster (var. "Dwarf Border")	<i>Achimenes longiflora</i>
<i>Celosia</i> (var. "Gladiator")	<i>Adiantum cuneatum</i> (Maidenhair fern)
Carnation	<i>Aeschynanthus lobbianus</i>
<i>Chrysanthemum</i>	<i>Ampelopsis heterophylla</i> (injured by aerosols)
Marigold (var. "Petite Orange")	<i>Anemone spp.</i>
<i>Pansy</i> (var. "Trimardeau")	<i>Anthurium spp.</i>
<i>Zinnia</i> (var. "Dwarf Mexican")	<i>Aphelandra sp.</i> (Zebra Plant)
GUTHION* (azinphos-methyl)	<i>Aralia spp.</i>
<i>Bromeliaceae</i> (no specific identification)	<i>Asparagus plumosus</i>
<i>Rose</i> (var. "Roselandia" and "Juletide")	<i>Bouvardia spp.</i>
KELTHANE* (dicofol)	<i>Brunfelsia spp.</i>
<i>Anthurium spp.</i>	<i>Calceolaria spp.</i>
<i>Anthurium scherzerianum</i>	Carnation
<i>Asparagus plumosus</i>	<i>Cissus antarctica</i> (Kangaroo Vine)
<i>Begonia spp.</i>	<i>Cyclamen spp.</i>
<i>Beloperone spp.</i>	<i>Dianthus spp.</i>
<i>Brassaia actinophylla</i> (Schefflera)	<i>Dizygotheca elegantissima</i> (False Aralia)
<i>Brunfelsia spp.</i>	<i>Ficus pumila</i>
<i>Chamaedorea elegans</i> (Neanthe Bella Palm)	<i>Freesia spp.</i>
<i>Chrysanthemum</i>	<i>Fuchsia spp.</i>
<i>Cissus spp.</i>	<i>Gardenia spp.</i>
<i>Cissus antarctica</i> (Kangaroo Vine)	<i>Gerbera spp.</i>
<i>Codiaeum sp.</i> (Croton)	<i>Gerbera jamesonii</i>
<i>Collenia elegans</i>	<i>Gloxinia</i>
<i>Cordyline sp.</i> (Ti Plant)	<i>Hedera helix</i>
<i>Cyclamen spp.</i>	<i>Hibiscus spp.</i>
<i>Dianthus spp.</i>	<i>Hibiscus rosa-sinensis</i>
<i>Epiphyllum spp.</i>	<i>Hydrangea spp.</i>
<i>Euphorbia</i>	<i>Iris spp.</i>
<i>Gardenia jasminoides</i>	<i>Kalanchoe spp.</i>
Gloxinia	<i>Lathyrus spp.</i>
<i>Hedera spp.</i>	<i>Mathiola spp.</i>
<i>Hibiscus spp.</i>	<i>Monstera deliciosa</i>

<i>Rhoicissus spp.</i>	<i>Hydrangea spp.</i>
<i>Rhoicissus rhomboidea</i>	<i>Ilex rotunda</i>
Rose	<i>Impatiens spp.</i>
<i>Saintpaulia spp.</i>	<i>Kalanchoe spp.</i>
Seedlings (injured by aerosols - no specific identification)	<i>Lilium longiflorum</i>
<i>Sinningia spp.</i>	<i>Mathiola spp.</i> (injured by aerosols)
<i>Spathiphyllum spp.</i>	<i>Nephrolepsis exaltata</i> (Florida Ruffle Fern)
<i>Stephanotis</i>	Orchids (no specific identification)
Tulip	<i>Peperomia spp.</i>
LORSBAN* (chlorpyrifos)	<i>Petunia spp.</i>
<i>Aphelandra squarrosa</i> (Zebra Plant)	<i>Philodendron "friedrichstahli"</i>
<i>Brassaia actinophylla</i> (Schefflers)	<i>Pilea spp.</i>
Chrysanthemum (var. "Nob Hill")	<i>Pilea cadierei</i>
<i>Nephrolepsis exaltata</i> (Florida Ruffle Fern)	Poinsettia (injurious to bracts of "San Diego")
<i>Tolmiea menziesii</i> (Piggy Back Plant)	<i>Primula spp.</i>
MALATHION*	Rieger Begonia
<i>Adiantum spp.</i>	<i>Reinwardtia trigyna</i>
<i>Adiantum cuneatum</i>	<i>Rochea coccinea</i>
<i>Anthurium spp.</i>	Rose
<i>Anthurium scherzerianum</i>	<i>Saintpaulia spp.</i>
<i>Antirrhinum spp.</i>	<i>Schlumbergera gaertneri</i>
<i>Aralia spp.</i>	<i>Scindapsus aureus</i> (var. "Marble Queen")
<i>Asparagus plumosus</i>	<i>Sinningia spp.</i> (injured by aerosols)
<i>Asparagus sprengeri</i>	<i>Syngonium podophyllum</i> (var. "Green Gold" and "Emerald Gem") (Nephthytis)
<i>Aster spp.</i>	MARLATE* (methoxychlor)
<i>Begonia spp.</i>	Chrysanthemum (var. "Iceberg", "Mefos" and "Winter Carnival")
<i>Brassaia actinophylla</i> (Schefflera)	METALDEHYDE*
<i>Brunfelsia spp.</i>	<i>Cattleya spp.</i>
Cacti (no specific identification)	Ferns (no specific identification)
<i>Camellia spp.</i>	<i>Gerbera spp.</i>
Carnation	<i>Phalaenopsis spp.</i>
<i>Cassia bicapsularis</i>	META-SYSTOX-R* (oxydemeton-methyl)
<i>Chenopodium amaranticolor</i>	<i>Achimenes longiflora</i>
Chrysanthemum	<i>Adiantum cuneatum</i> (Maidenhair fern)
<i>Cissus antartica</i> (Kangaroo Vine)	<i>Aeschyanthus lobbianus</i>
<i>Cocculus laurifolius</i>	<i>Anthurium scherzerianum</i>
<i>Codonopsis spp.</i>	<i>Aralia spp.</i>
<i>Crassula spp.</i>	<i>Brassaia actinophylla</i> (Schefflera)
<i>Cyclamen spp.</i>	Carnation
<i>Cypripedium spp.</i> (injured by aerosols)	Chrysanthemum (var. "Balcombe", "Perfection", "Christmas Greetings", "Friendly Rival", "Galaxy", "Golden Balcombe", "Harlequin", "Hi-Fi", "Hurricane", "Iceberg", "The Minstrels", "Moonbeam", "Pennant", "Princess Anne", "Revelry", "Silver-smith", "Taffeta", "Yellow Fred Shoesmith", "Whitecap" and injurious to blossoms of "Nob Hill")
<i>Dahlia spp.</i>	<i>Colanthe</i>
<i>Dianthus spp.</i>	<i>Echeveria elegans</i>
<i>Dieffenbachia exotica</i>	<i>Echeveria harmisii</i>
<i>Echeveria elegans</i>	<i>Euphorbia pulcherrima</i> (Poinsettia)
<i>Echeveria harmisii</i>	<i>Euphorbia splendens</i>
<i>Euphorbia spp.</i>	Ferns (no specific identification)
<i>Euphorbia pulcherrima</i>	<i>Freesia spp.</i>
<i>Feijoa sellowiana</i>	<i>Fuchsia spp.</i>
Ferns (no specific identification)	<i>Gerbera jamesonii</i>
<i>Ficus spp.</i>	<i>Hedera spp.</i>
<i>Ficus carica</i>	<i>Lilium longiflorum</i>
<i>Ficus cyathistipula</i>	<i>Nerium spp.</i>
<i>Ficus diversifolia</i>	Orchids (no specific identification)
<i>Ficus pumila</i>	<i>Pelargonium hortorum</i> (Geranium)
<i>Fuchsia spp.</i>	<i>Phragmipedium spp.</i>
<i>Gardenia spp.</i>	
<i>Gardenia jasminoides</i>	
<i>Gerbera spp.</i>	
Gesneriaceae (no specific identification)	
Gloxinia	
<i>Hedera spp.</i>	
<i>Hibiscus rosa-sinensis</i>	

*Rieger Begonia*  
*Rochea spp.*  
*Stanhopea spp.*  
*Zinnia spp.*

**MORESTAN\*** (oxythioquinox)  
*Aphelandra squarrosa* (Zebra Plant)  
*Aralia spp.*  
*Crassula arborescens*  
*Fuchsia spp.* (injurious to blossoms)  
*Hydrangea spp.*  
*Impatiens spp.* (injurious to blossoms)  
*Kalanchoe spp.*  
*Nicotiana spp.*  
*Pelargonium hortorum*  
Poinsettia (injurious to the bracts of "Annette Hegg")  
Rose  
Sweet Pea

**NICOTINE SULFATE\***

Spray:  
*Acalypha hispida*  
*Adiantum spp.*  
*Anthurium spp.*  
*Antirrhinum spp.*  
*Asparagus plumosus*  
*Aster spp.*  
*Astilbe spp.*  
Carnation  
Chrysanthemum  
*Chrysanthemum indicum*  
*Cissus antartica* (Kangaroo Vine)  
*Crassula spp.*  
*Cyclamen spp.*  
*Dianthus spp.*  
*Fatsia japonica*  
Ferns (no specific identification)  
*Gardenia spp.*  
*Gladiolus spp.*  
Gloxinia  
*Hedera spp.*  
*Kalanchoe spp.*  
*Nerium spp.*  
*Primula spp.*  
*Saintpaulia spp.*  
*Salvia spp.*  
*Senecio spp.*  
*Sinningia spp.*  
*Streptocarpus spp.*

Aerosols injurious to foliage of:

*Cineraria spp.*  
*Hydrangea spp.*  
*Impatiens spp.*  
*Mimosa spp.*  
Tulip

Aerosols injurious to blossoms of:  
Snapdragon  
Geranium

**OMITE\*** (propargite)

*Aphelandra squarrosa* (Zebra Plant)  
*Brassaia actinophylla* (Schefflera)  
Carnation (injurious to blossoms)  
Chrysanthemum (injurious to the blossoms of var. "Nob Hill", "White Anne", "Deep Snow Pink" and "Orange Bowl")

*Collinia elegans*  
*Dieffenbachia exotica*  
*Nephrolepis exaltata* (Florida Ruffle Fern)  
*Peperomia spp.*  
*Peperomia obtusifolia*  
Poinsettia (injurious to bracts of "San Diego")  
*Scindapsus spp.*  
*Scindapsus aureus*

**ORTHENE\*** (acephate)

*Brassaia actinophylla* (Schefflera)  
Carnation  
*Chamaedorea elegans*  
Chrysanthemum (injurious to foliage of var. BGA "Mountain Sun" and "Always Pink"; injurious to blossoms of var. "Nob Hill" and BGA "Always Pink", "Charm", "Illini Hot Pink", "Bridesmaid" and "Mountain Sun")  
*Maranta spp.*  
*Nephrolepis exaltata* (Florida Ruffle Fern)  
*Saintpaulia spp.* (injurious to blossoms)  
Geranium (var. "Yours Turly", "Miles Standish", "Red Perfection", "Sincerity", "Snow Mass", "Dawn", "Easham", "White Mountain" and "Minnetonka")  
Poinsettia (injurious to bracts of var. "Paul Mikkelsen" and "Mikkelwhite")

**PARATHION\***

*Acalypha spp.*  
*Acalypha hispida*  
*Adiantum spp.*  
*Aeonium decorum*  
*Aeonium deltoidea*  
*Aeonium haworthii*  
*Aeonium tournefortii*  
*Ageratum spp.*  
*Aglaonema spp.*  
*Alternanthera spp.*  
*Ampelopsis heterophyla elegans*  
*Anemone spp.*  
*Anthurium spp.*  
*Anthurium scherzerianum*  
*Aphelandra spp.*  
*Aquilegia spp.*  
*Aralia spp.*  
*Asparagus plumosus*  
*Aster spp.*  
*Aucuba spp.*  
*Azalea spp.*  
*Begonia spp.*  
*Beloperone guttata*  
*Bougainvillea spp.*  
*Bouvardia spp.*  
Bromeliaceae (no specific identification)  
*Brunfelsia spp.*  
*Calceolaria spp.*  
*Callistephus chinensis*  
Carnation  
Chinese evergreen  
Chrysanthemum  
*Chrysanthemum indicum*  
*Cissus antartica*  
*Codiaeum spp.*  
*Coleus spp.*  
*Crassula spp.*

<i>Crassula arborescens</i>	Rieger begonia
<i>Crassula multicava</i>	<i>Rochea spp.</i>
<i>Cyclamen spp.</i>	<i>Rochea coccinea</i>
<i>Dahlia spp.</i>	Rose
<i>Dianthus spp.</i>	<i>Saintpaulia spp.</i>
<i>Dieffenbachia picta</i>	<i>Sanchezia spp.</i>
<i>Dizygotheca elegantissima</i>	<i>Sansevieria spp.</i>
<i>Drejerella guttata</i>	<i>Schlumbergera gaertneri</i>
<i>Echeveria spp.</i>	<i>Scindapsus spp.</i>
<i>Erica spp.</i>	<i>Scindapsus aureus</i>
<i>Euphorbia spp.</i>	<i>Sempervivum tectorum</i>
<i>Euphorbia fulgens</i>	<i>Sinningia spp.</i>
<i>Euphorbia pulcherrima</i>	<i>Spathiphyllum spp.</i>
Fatshedera Ivy	<i>Stephanotis spp.</i>
Ferns (no specific identification)	Stocks
<i>Ficus spp.</i>	<i>Streptocarpus spp.</i>
<i>Ficus benjamina</i>	<i>Streptosolen jamesonii</i>
<i>Ficus carica</i>	Succulents (no specific identification)
<i>Ficus elastica</i> (var. "Decora")	<i>Syngonium spp.</i>
<i>Ficus pumila</i>	<i>Tibouchina spp.</i>
<i>Forsythia spp.</i>	<i>Tolmiea menziesii</i>
<i>Freesia spp.</i>	PENTAC*
<i>Gardenia spp.</i>	<i>Chrysanthemum</i> (injurious to blossoms of var. "Nob Hill")
<i>Gardenia jasminoides</i>	<i>Gloxinia</i>
<i>Gladiolus spp.</i>	<i>Kalanchoe sp. cv. "Korall"</i>
Gloxinia	<i>Kalanchoe sp. cv. "Rotkappchen"</i>
<i>Gynura spp.</i>	PHOSVEL* (leptophos)
<i>Hedera spp.</i>	<i>Brassaia actinophylla</i> (Schefflera)
<i>Hedera helix</i>	<i>Nephrolepis exaltata</i> (Florida Ruffle Fern)
<i>Hibiscus rosa-sinensis</i>	<i>Peperomia obtusifolia</i>
<i>Hydrangea spp.</i>	<i>Peperomia obtusifolia variegata</i>
<i>Ilex rotunda</i>	PIRIMOR (pirimicarb)
<i>Impatiens spp.</i>	<i>Bellis spp.</i>
<i>Jasminum sambac</i>	<i>Chrysanthemum</i> (injurious to foliage of var. BGA "Wildfire", "Always Pink", "Charm", "Illini Hot Pink", "Ice Cap" and "Gold Cap": injurious to blossoms of BGA "Always Pink", "Illini Hot Pink" and "Nob Hill")
<i>Kalanchoe spp.</i>	Note: Chrysanthemum varieties not injured by Pirimor are given in Manufacturer's technical data sheet and in Florogram, Vol. VIII, No. 1, Jan.-Feb. 1975.
<i>Laburnum spp.</i>	<i>Delphinium</i>
<i>Lathyrus spp.</i>	<i>Lilium longiflorum</i> (injurious as a soil drench)
Lilac	PLICTRAN*
<i>Lilium longiflorum</i>	Avocado
<i>Lilium spp.</i>	Carnation
<i>Lotus bertholletii</i>	<i>Chrysanthemum</i> (injurious to foliage of var. "Nob Hill"; injurious to blossoms of var. "Snow Pink", "Nob Hill", "Orange Bowl", "Yellow Delaware", "Hostess" and "Yellow Bonnie Jean")
<i>Lupinus spp.</i>	<i>Cissus rhombifolia</i> (Grape Ivy)
<i>Mathiola incana</i>	<i>Crassula oleracea</i> (Jade Plant)
<i>Monstera spp.</i>	<i>Croton</i> (hybrid)
<i>Moschosma riparia</i>	<i>Iresine herbstii</i>
Nasturtium	<i>Kalanchoe diagremontiana</i> (Mother of Thousands)
<i>Nephrolepis cordifolia</i>	<i>Kalanchoe sp. cv. "Korall"</i>
<i>Nephrolepis exaltata</i>	<i>Kalanchoe sp. cv. "Rotkappchen"</i>
Orchids (injured by aerosols)	Orange (ornamental)
<i>Pachyphytum spp.</i>	Poinsettia (injurious to bracts of "Paul Mikkelsen", "San Diego" and "White Cloud"; injurious to bracts and foliage of var. "Red Velvet" and "Annette Hegg")
<i>Pelargonium spp.</i> (Geranium)	
<i>Peperomia spp.</i>	
<i>Pereskia spp.</i>	
<i>Phalaenopsis spp.</i>	
<i>Philodendron spp.</i>	
<i>Philodendron selloum</i>	
<i>Philodendron mendlandi</i>	
<i>Pilea cadierei</i>	
Poinsettia	
<i>Polyscias guilfoylei</i>	
Pothos	
<i>Primula spp.</i>	
<i>Pteris spp.</i>	
<i>Rhoicissus rhomboidea</i>	

Rose (damage to new growth, calyx and flower petal reported for following varieties: "American Beauty", "Bridal Pink", "Cara Mia", "Coed", "Forever Yours", "Garnet", "Golden Wave", "Jack Frost", "Junior Bridesmaid", "Mary De Vor", "Seventeen", "Tropicana", "Woburn Abbey", "Zorina")	<i>Helxine soleirolii</i> <i>Hibiscus rosa-sinensis</i> <i>Hydrangea macrophylla</i> <i>Ilex rotunda</i> <i>Impatiens spp.</i> <i>Kalanchoe spp.</i> <i>Lilium longiflorum</i> (injurious to foliage as a spray and as a soil drench) <i>Monstera spp.</i> <i>Poinsettia</i> <i>Saintpaulia spp.</i> <i>Saintpaulia ionantha</i> <i>Scindapsus spp.</i> <i>Spironema fragrans</i> Violet
PYRENONE* (pyrethrins)	
Poinsettia (injurious to bracts of var. "Paul Mikkelsen" and "Mikkelwhite")	
RESMETHRIN* (SBP-1382)	
Chrysanthemum (injurious to blossoms of var. "Shoe-smith", "Nob Hill", "Neptune", "Deep Snow Pink", "Orange Bowl" and "Marguerita")	
Poinsettia (injurious to bracts of var. "Paul Mikkelsen" and "Mikkelwhite")	
Red Calceolaria	
SEVIN* (carbaryl)	
<i>Adiantum sp.</i> (Maidenhair fern)	
<i>Parthenocissus sp.</i> (Boston Ivy)	
<i>Brassaia actinophylla</i> (Schefflera)	
<i>Hedera helix</i> (English Ivy)	
<i>Nephrolepis exaltata</i> (Florida Ruffle Fern)	
<i>Peperomia spp.</i>	
<i>Pilea cadierei</i> (Aluminum Plant)	
<i>Syngonium sp.</i> (Nephthytis)	
Virginia creeper	
SULFOTEPP*	
Carnation	
Poinsettia (injurious to bracts)	
Rose	
<i>Vinca spp.</i>	
SYSTOX* (demeton)	
<i>Adiantum cuneatum</i>	
<i>Alternanthera spp.</i>	
<i>Amaryllis belladonna</i>	
<i>Anthurium spp.</i>	
<i>Asparagus fern</i>	
<i>Azalea spp.</i>	
<i>Begonia spp.</i>	
<i>Begonia coccinea</i>	
<i>Begonia foliosa</i>	
<i>Begonia semperflorens</i>	
<i>Camellia japonica</i>	
<i>Camellia sasanqua</i>	
<i>Cattleya spp.</i>	
Chrysanthemum	
<i>Chrysanthemum indicum</i>	
Cibotium fern	
<i>Cineraria spp.</i>	
<i>Coleus blumei verschaffeltii</i>	
<i>Cyclamen spp.</i>	
<i>Euphorbia spp.</i>	
<i>Euphorbia fulgens</i>	
<i>Euphorbia milii</i>	
<i>Euphorbia pulcherrima</i>	
Fern (no specific identification)	
<i>Ficus carica</i>	
<i>Fittonia verschaffeltii "argyroneura"</i>	
<i>Fuchsia hybrida</i>	
<i>Gardenia jasminoides</i>	
<i>Gardenia veitchii</i>	
Geranium (injurious as a soil drench)	
<i>Gerbera jamesonii</i>	
TEDION* (tetradifon)	
<i>Acalypha spp.</i>	
<i>Anemone spp.</i>	
<i>Anthurium spp.</i>	
<i>Begonia spp.</i>	
<i>Brassaia actinophylla</i> (Schefflera)	
<i>Brunfelsia spp.</i>	
<i>Calceolaria spp.</i>	
Chrysanthemum	
<i>Cineraria spp.</i>	
<i>Cissus spp.</i>	
<i>Cissus antartica</i> (Kangaroo Vine)	
<i>Cyclamen spp.</i>	
<i>Cypripedium spp.</i> (injured by aerosols)	
<i>Dahlia spp.</i> (injured by aerosols)	
<i>Dianthus spp.</i>	
<i>Euphorbia spp.</i>	
<i>Ficus diversifolia</i>	
<i>Freesia spp.</i>	
<i>Gardenia spp.</i>	
<i>Gladiolus spp.</i>	
<i>Hibiscus spp.</i>	
<i>Hydrangea spp.</i>	
<i>Kalanchoe spp.</i>	
<i>Lathyrus spp.</i>	
<i>Mathiola spp.</i> (injured by aerosols)	
<i>Pelargonium spp.</i>	
<i>Primula spp.</i> (injured by aerosols)	
<i>Rochea spp.</i>	
Rose	
<i>Schlumbergera gaertneri</i>	
<i>Senecio spp.</i>	
<i>Sinningia spp.</i> (injured by aerosols)	
<i>Stephanotis</i>	
THIODAN* (endosulfan)	
<i>Anthurium spp.</i>	
Chrysanthemum (var. "Bonaffon Deluxe", "Fred Shoesmith", "White Knight")	
<i>Cissus antartica</i>	
Crepe Myrtle	
<i>Crossandra spp.</i>	
<i>Gardenia spp.</i>	
<i>Gardenia jasminoides</i>	
Gloxinia	
Poinsettia (injurious to the bracts of var. "Paul Mikkelsen" and "Mikkelwhite")	
<i>Rhoicissus rhomboidea</i>	
Rose	
<i>Saintpaulia spp.</i>	

*Scindapsus spp.*  
*Scindapsus aureus*

TEMIK\* (aldicarb)

*Chrysanthemum* (pot mums var. "White Carnival" and  
"Princess Anne")

*Freesia spp.*

Rieger begonia

*Vinca major*

VAPONA\* (dichlorvos)

*Ageratum*

Aster

*Chrysanthemum* (var. "Dwan Star", "Shasta"  
"Taffeta", "Pink Champagne", "Nightingale")

*Cissus antartica*

Poinsettia (injurious to bracts)

Rose

Snapdragon and *Tradescantia spp.*

VYDATE\* (oxamyl)

*Brassaia actinophylla* (Schefflera)

*Dracaena godseffiana* (Gold Dust Plant)

*Podocarpus macrophylla*

ZECTRAN\* (mexacarbate)

*Brassaia actinophylla* (Schefflera)

Cape Chestnut

Geraldton waxflower

Ferns:

*Adiantum hispidulum*

*Adiantum decorum*

*Adiantum farleyense* [sic]

*Adiantum coucatum* [sic]

*Asplenium bulbiferum*

*Diplazium esculentum*

*Dryopteris dentata*

*Hipplenum quercum* [sic]

*Nemia phyllifidis* [sic]

*Nephrolepis exaltata bostoniensis*

*Pityrogramma x-hybrida*

*Pteris vittata*

*Pteris cretica*

*Tectaria cicutaria*

High rates of chemical may damage new growth of roses  
and phlox.

#### PESTICIDE COMBINATIONS

DITHIO plus TEDION  
- Cattleya orchids

DYLOX plus META-SYSTOX-R

*Brassaia actinophylla* (Schefflera)  
*Nephrolepis exaltata* (Florida Ruffle Fern)  
*Podocarpus macrophylla*

#### SOURCES

**Florida Flower Growers** - Florida Cooperative Extension

Service

Vol. 8	No. 10	Vol. 12	No. 5
Vol. 11	No. 9	Vol. 12	No. 6
Vol. 12	No. 4	Vol. 12	No. 9

**Florida Foliage Grower** - Florida Cooperative Extension

Service

Vol. 8	No. 8	Vol. 12	No. 4
Vol. 11	No. 4	Vol. 12	No. 9
Vol. 12	No. 1	Vol. 13	No. 1

**Florogram** - Massachusetts Cooperative Extension Service

Vol. V	No. 1	Vol. VII	No. 3
Vol. V	No. 6	Vol. VII	No. 5
Vol. VI	No. 1	Vol. VIII	No. 5
Vol. VI	No. 6		

**Flower & Nursery Report** - University of California, May  
1974.

**Greenhouse Notes** - The Pennsylvania State University,  
December 1975, "Phytotoxicity of Insecticides to  
Foliage Plants", D.E. Short and D.P. Driggers, pre-  
sented orally at the Florida Entomological Society  
10/28/71.

**Nova Scotia Horticulture and Biology Service Bulletin** -  
Circular "E 71-2".

**Ornamental Plants Entomologists Newsletter [OPEN]** -  
Western Washington Research & Extension Center

"The Sensitivity of Ornamental Plants to Insecticides and  
Acarides" by John Forsyth and Joyce Maynard. Com-  
monwealth Agricultural Bureau - Bucks, England.

Published by  
Colorado Flower Growers Association, Inc.  
Dick Kingman, Executive Director  
2785 N. Speer Blvd., Suite 230  
Denver, Colorado 80211

Bulletin 322

Direct inquiries to:  
Office of the Editor  
Horticulture Department  
Colorado State University  
Fort Collins, Colorado 80523

